

## **FOREST CANOPY CITATIONS CLASSICS**

### **INTERNATIONAL CANOPY NETWORK**

#### **Ecosystem Processes**

- Anthoni, P. M., B. E. Law, and M. H. Unsworth. 1999. Carbon and water vapor exchange of an open-canopied ponderosa pine ecosystem. *Agricultural and Forest Meteorology* **95**:151-168.
- Baldocchi, D. D. 1988. A multi-layer model for estimating sulfur dioxide deposition to a deciduous oak forest canopy. *Atmospheric Environment* **22**:869-884.
- Botkin, D. B., L. G. Simpson, and R.A. Nisbet. 1993. Biomass and carbon storage of the North American deciduous forest. *Biogeochemistry* **20**:1-17.
- Buchmann, N., W.-Y. Kao, and J. R. Ehleringer. 1996. Carbon dioxide concentrations within forest canopies - variation with time, stand structure, and vegetation type. *Global Change Biology* **2**:421-432.
- Culf, A. D., G. Fisch, Y. Malhi, and C.A. Nobre. 1997. The influence of the atmospheric boundary layer on carbon dioxide concentrations over a tropical forest. *Agricultural and Forest Meteorology* **85**:149-158.
- Harrington, R. A., J. H. Fownes, F.C. Meinzer and P. G. Scowcroft. 1995. Forest growth along a rainfall gradient in Hawaii: Acacia koa stand structure, productivity, foliar nutrients, and water- and nutrient-use efficiencies. *Oecologia* **102**:277-284.
- Kappelle, M., and M. E. Leal. 1996. Changes in leaf morphology and foliar nutrient status along a successional gradient in a Costa Rican upper montane *Quercus* forest. *Biotropica* **28**:331-344.

- Lowman, M. D., and M. W. Moffett 1993. The ecology of tropical rain forest canopies. *Trees* **8**:104-107.
- Niinemets, Ü. 1997. Distribution patterns of foliar carbon and nitrogen as affected by tree dimensions and relative light conditions in the canopy of *Picea abies*. *Trees* **11**:144-154.
- Richardson, B. A., M. J. Richardson, F.N. Scatena, and W.H. McDowell. 2000. Effects of nutrient availability and other elevational changes on bromeliad populations and their invertebrate communities in a humid tropical forest in Puerto Rico. *Journal of Tropical Ecology* **16**:167-188.
- Ryan, M. G., D. Binkley, and J.H. Fownes. 1997. Age-related decline in forest productivity: pattern and process. *Advances in Ecological Research* **27**:213-262.
- Sellers, P. J., R. E. Dickinson, D.A. Randall, A.K. Betts, F.G. Hall, J.A. Berry, J.G. Collatz, A.S. Denning, H.A. Mooney, C.A. Nobre, N. Sato, C.B. Field, and A. Henderson-Sellers. 1997. Modeling the exchanges of energy, water, and carbon between continents and the atmosphere. *Science* **275**:502-509.
- Sumida, A. 1993. Growth of tree species in a broadleaved secondary forest as related to the light environments of crowns. Japanese Forestry Society. *Journal* **75**:278-286.

## Forest-Atmosphere Interactions

- Baldocchi, D. D., and T. P. Meyers. 1998. On using eco-physiological, micrometeorological and biogeochemical theory to evaluate carbon dioxide, water vapor and trace gas fluxes over vegetation: a perspective. *Agricultural and Forest Meteorology* **90**:1-25.
- Boyce, R. L., A. J. Friedland, C. P. Chamberlain, and S. R. Poulson. 1996. Direct canopy nitrogen uptake from  $^{15}\text{N}$ - labeled wet deposition by mature red spruce. *Canadian Journal of Forest Research* **26**:539-1547.
- Brooks, J. R., L. B. Flanagan, G. T. Varney, and J. R. Ehleringer. 1997. Vertical gradients in photosynthetic gas exchange characteristics and refixation of respired  $\text{CO}_2$  within boreal forest canopies. *Tree Physiology* **17**:1-12.
- Cavelier, J., D. Solis, and M. A. Jaramillo. 1996. Fog interception in montane forests across the central Cordillera of Panamá. *Journal of Tropical Ecology* **12**:357-369.
- Condit, R. 1998. Ecological implications of changes in drought patterns: shifts in forest composition in Panama. *Climatic Change* **39**:413-427.
- Constable, J. V. H., M. E. Litvak, J. P. Greenberg, and R. K. Monson. 1999. Monoterpene emission from coniferous trees in response to elevated  $\text{CO}_2$  concentration and climate warming. *Global Change Biology* **5**:255-267.
- Dambrine, É., B. Pollier, M. Bonneau, and N. Ignatova. 1998. Use of artificial trees to assess dry deposition in spruce stands. *Atmospheric Environment* **32**:1817-1824.
- Daudet, F.-A., X. Le Roux, H. Sinoquet, and B. Adam. 1999. Wind speed and leaf boundary layer conductance variation within tree crown: consequences on leaf-to-

- atmosphere coupling and tree functions. *Agricultural and Forest Meteorology* **97**:171-185.
- Grulke, N. E., P. R. Miller, and D. Scioli. 1996. Response of giant sequoia canopy foliage to elevated concentrations of atmospheric ozone. *Tree Physiology* **16**:575-581.
- Hollinger, D. Y., F. M. Keliher, J. N. Byers, J. E. Hunt, T. M. McSeveny, and P. L. Weir. 1994. Carbon dioxide exchange between an undisturbed old-growth temperate forest and the atmosphere. *Ecology* **75**:134-150.
- Kellman, M., J. Hudson, and K. Sanmugadas. 1982. Temporal variability in atmospheric nutrient influx to a tropical ecosystem. *Biotropica* **14**:1-9.
- Lindberg, S. E., G. M. Lovett, D. D. Richter, and D. W. Johnson. 1986. Atmospheric deposition and canopy interactions of major ions in a forest. *Science* **231**:141-145.
- Potter, C. S., H. L. Ragsdale and W. T. Swank. 1991. Atmospheric deposition and foliar leaching in a regenerating southern Appalachian forest canopy. *Journal of Ecology* **79**:97-115.
- Shuttleworth, W. J. 1977. The exchange of wind-driven fog and mist between vegetation and the atmosphere. *Boundary-Layer Meteorology* **12**:463-489.
- Tenhunen, J. D., R. Valentini, B. Köstner, R. Zimmerman, and A. Granier. 1998. Variation in forest gas exchange at landscape to continental scales. *Annales des Sciences Forestières* **55**:1-11.
- Wesely, M. L. and B. B. Hicks 2000. A review of the current status of knowledge on dry deposition. *Atmospheric Environment* **34**:2261-2282.
- Yague, C. and J. L. Cano 1993. Eddy transfer processes in the atmospheric boundary layer. *Atmospheric Environment* **28**:1275-1289.

## Hydrology

- Ahmad-Shah, A., and J. O. Rieley. 1989. Influence of tree canopies on the quantity of water and amount of chemical elements reaching the peat surface of a basin mire in the midlands of England. *Journal of Ecology* **77**:357-370.
- Anhuf, D., T. Motzer, R. Rollenbeck, B. Schröder, and J. Szarzynski. 1999. Water budget of the Suromoni Crane Site (Venezuela). *Selbyana* **20**:179-185.
- Calder, I. R., I. R. Wright, and D. Murdiyarso. 1986. A study of evaporation from tropical rain forest - West Java. *Journal of Hydrology* **89**:13-31.
- Dawson, T. E. 1999. Fog in the California Redwood forest: ecosystem inputs and use by plants. *Oecologia* **117**:476-485.
- Hancock, N. H., and J. M. Crowther. 1979. A technique for the direct measurement of water storage on a forest canopy. *Journal of Hydrology* **41**:105-122.
- Helvey, J. D., and J. H. Patric. 1965. Canopy and litter interception of rainfall by hardwoods of eastern United States. *Water Resources Research* **1**:193-206.
- Herwitz, S. R. 1985. Interception storage capacities of tropical rainforest canopy trees. *Journal of Hydrology* **77**:237-252.
- Hutchings, N. J., R. Milne, and J. M. Crowther. 1988. Canopy storage capacity and its vertical distribution in a Sitka spruce canopy. *Journal of Hydrology* **104**:161-171.
- Massman, W. J. 1980. Water storage on forest foliage: a general model. *Water Resources Research* **16**:210-216.
- Meinzer, F. C., J. L. Andrade, G. Goldstein, N. M. Holbrook, J. Cavelier, and S. J. Wright. 1999. Partitioning of soil water among canopy trees in a seasonally dry tropical forest. *Oecologia* **121**:293-301.

- Nakai, Y., T. Sakamoto, T. Terajima, K. Kitajima, and T. Shirai. 1999. Energy balance above a boreal coniferous forest: a difference in turbulent fluxes between snow-covered and snow-free canopies. *Hydrological Processes* **13**:515-529.
- Puckett, L. J. 1991. Spatial variability and collector requirements for sampling throughfall volume and chemistry under a mixed-hardwood canopy. *Canadian Journal of Forest Research* **21**:1581-1588.
- Reynolds, B. K. 1984. An assessment of the spatial variation in the chemical composition of bulk precipitation within an upland catchment. *Water Resources Research* **20**:733-735.
- Rutter, A. J., and A. J. Morton. 1977. A predictive model of rainfall interception in forests III. Sensitivity of the model to stand parameters and meteorological variables. *Journal of Applied Ecology* **14**:567-588.
- Schmidt, R. A., and C. A. Troendle. 1989. Snowfall into a forest and clearing. *Journal of Hydrology* **110**:335-348.
- Veneklaas, E. J. 1990. Nutrient fluxes in bulk precipitation and throughfall in two montane tropical rain forests, Colombia. *Journal of Ecology* **78**:974-992.
- Zotz, G., S. Patiño, and M. T. Tyree. 1997. Water relations and hydraulic architecture of woody hemiepiphytes. *Journal of Experimental Botany* **48**:1825-1833.

## **Invertebrates**

- Adis, J., Y. D. Lubin, and G. G. Montgomery. 1984. Arthropods from the canopy of inundated and terra firme forests near Manaus, Brazil, with critical considerations on the pyrethrum-fogging technique. *Studies on Neotropical Fauna and Environment* **19**:223-226.
- Basset, Y. 1992. Host specificity of arboreal and free-living insect herbivores in rain forests. *Biological Journal of the Linnean Society* **47**:115-133.
- Basset, Y. 2001. Invertebrates in the canopy of tropical rain forests How much do we really know? *Plant Ecology* **153**:87-107.
- Cachan, P. 1964. Analyse statistique des pullulations de Scolytoidea mycétophages en forêt sempervirente de Côte d'Ivoire. *Annales de la Faculté des Sciences, Université de Dakar* **14**:5-70.
- Coley, P. D. 1980. Effects of leaf age and plant life history patterns on herbivory. *Nature* **284**:545-546.
- Compton, S. G., Ellwood, M. D. F., Davis, A. J., and Welch, K. 2000. The flight heights of chalcid wasps (Hymenoptera, Chalcidoidea) in a lowland Bornean rain forest: fig wasps are the high fliers. *Biotropica* **32**:515-522.
- DeVries, P. J., D. Murray, and R. Lande. 1997. Species diversity in vertical, horizontal, and temporal dimensions of a fruit-feeding butterfly community in an Ecuadorian rainforest. *Biological Journal of the Linnean Society* **62**:343-364.
- Erwin, T. L. 1982. Tropical forests: their richness in Coleoptera and other arthropod species. *The Coleopterists Bulletin* **36**:74-75.

- Feeny, P. P. 1970. Seasonal changes in oak leaf tannins and nutrients as a cause of spring feeding by winter moth caterpillars. *Ecology* **51**:565-581.
- Grove, S. J. 2002. The influence of forest management history on the integrity of the saproxylic beetle fauna in an Australian lowland tropical rainforest. *Biological Conservation* **104**:149-171.
- Haddow, A. J., P. S. Corbet, and J. D. Gillett. 1961. Entomological studies from a high tower in Mpanga Forest, Uganda. I. Introduction. *Transactions of the Royal Entomological Society of London* **113**:249-256.
- Heatwole, H., M. D. Lowman, and K. L. Abbott. 1999. Grazing on Australian eucalypt leaves by insects. *Selbyana* **20**:299-323.
- Hunter, M. D. 1987. Opposing effects of spring defoliation on late season oak caterpillars. *Ecological Entomology* **12**:373-382.
- Lowman, M. D. 1984. An assessment of techniques for measuring herbivory: is rainforest defoliation more intense than we thought? *Biotropica* **16**:264-268.
- Majer, J. D., and H. F. Recher. 1988. Invertebrate communities on Western Australian eucalypts - a comparison of branch clipping and chemical knockdown procedures. *Australian Journal of Ecology* **13**:269-278.
- Mattson, W. J., and N. D. Addy. 1975. Phytophagous insects as regulators of forest primary productivity. *Science* **190**:515-522.
- Moran, V. C., and T. R. E. Southwood. 1982. The guild composition of arthropod communities in trees. *Journal Animal Ecology* **51**:289- 306.
- Nadkarni, N. M., and J. T. Longino. 1990. Invertebrates in canopy and ground organic matter in a neotropical montane forest, Costa Rica. *Biotropica* **22**:286-289.

- Novotny, V., Y. Bassett, S. E Miller, G. D. Weiblen, B. Bremer, L. Cized, and P. Drozd. 2002. Low host specificity of herbivorous insects in a tropical forest. *Nature* **416**:841-844.
- Novotny, V., and Y. Basset. 2000. Rare species in communities of tropical insect herbivores: pondering the mystery of singletons. *Oikos* **89**:564-572.
- Ødegaard, F. 2000. The relative importance of trees versus lianas as hosts for phytophagous beetles (Coleoptera) in tropical forests. *Journal of Biogeography*. **27**:283-296.
- Prinzing, A. 2001. Use of shifting microclimatic mosaics by arthropods on exposed tree trunks. *Annals of the Entomological Society of America* **94**:210-218.
- Recher, H. F., J. D. Majer, and S. Ganesh. 1996. Eucalypts, arthropods and birds: On the relationship between foliar nutrients and species richness. *Forest Ecology and Management* **85**:177-195.
- Reichle, D. E., R. A. Goldstein, R. I. Van Hook, and G. J. Dodson. 1973. Analysis of insect consumption in a forest canopy. *Ecology* **54**:1076-1084.
- Rodgers, D. J., and Kitching, R. L. 1998. Vertical stratification of rainforest collembolan (Collembola: Insecta) assemblages: description of ecological patterns and hypotheses concerning their generation. *Ecography* **21**:392-400.
- Schowalter, T. D., and Ganio. L. M. 1998. Vertical and seasonal variation in canopy arthropod communities in an old-growth conifer forest in Southwestern Washington, USA. *Bulletin of Entomological Research* **88**:633-640.
- Schowalter, T. D., W. W. Hargrove, and D. A. Crossley, Jr. 1986. Herbivory in forested ecosystems. *Annual Review of Entomology* **31**:177-196.

- Seastedt, T. R., D. A. Crossley, Jr., and W. W. Hargrove. 1983. The effects of low-level consumption by canopy arthropods on the growth and nutrient dynamics of black locust and red maple trees in the southern Appalachians. *Ecology* **64**:1040-1048.
- Southwood, T. R. E., and C. E. J. Kennedy. 1983. Trees as islands. *Oikos* **41**: 359-37.
- Stork, N. E. 1987. Arthropod faunal similarity of Bornean rain forest trees. *Ecological Entomology* **12**:219-226.
- Sutton, S. L., C. P. Ash, and A. Grundy. 1983. The vertical distribution of flying insects in the lowland rain forest of Panama, Papua New Guinea and Brunei. *Zoological Journal of the Linnean Society* **78**:287-297.
- Walter, D. E., and V. Behan-Pelletier. 1999. Mites in forest canopies: filling the size distribution shortfall. *Annual Review Entomology* **44**:1-19.
- Watt, A. D., N. E. Stork, C. McBeath, and G. L. Watson. 1997. Impact of forest management on insect abundance and damage in a lowland tropical forest in southern Cameroon. *Journal of Applied Ecology* **34**:985-998.
- Winchester, N. N., V. Behan-Pelletier, and R.A. Ring. 1999. Arboreal specificity, diversity and abundance of canopy-dwelling oribatid mites (Acari: Oribatida) *Pedobiologia* **43**:391-400.

## Light Transmission

- Baars, R., and D. Kelly. 1996. Survival and growth responses of native and introduced vines in New Zealand to light availability. *New Zealand Journal of Botany* **34**:389-400.
- Black, T. A., J. M. Chen, X. Lee, and R.M. Sagar. 1991. Characteristics of shortwave and longwave irradiances under a Douglas-fir forest stand. *Canadian Journal of Forest Research* **21**:1020-1028.
- Brooks, J. R., T. M. Hinckley, and D.G. Sprugel. 1994. Acclimation responses of mature *Abies amabilis* sun foliage to shading. *Oecologia* **100**:316-324.
- Brunner, A. 1998. A light model for spatially explicit forest stand models. *Forest Ecology and Management* **107**:19-46.
- Canham, C. D. W., D. Coates, P. Bartemucci, and S. Quaglia. 1999. Measurement and modeling of spatially explicit variation in light transmission through interior cedar-hemlock forests of British Columbia. *Canadian Journal of Forest Research* **29**:1775-1783.
- de Castro, F. 2000. Light spectral composition in a tropical forest: measurements and model. *Tree Physiology* **20**:49-56.
- Hutchison, B. A., and D. R. Matt. 1977. The distribution of solar radiation within a deciduous forest. *Ecological Monographs* **47**:185-207.
- Kinerson, R. S. 1973. Fluxes of visible and net radiation within a forest canopy. *Journal of Applied Ecology* **10**:657-660.
- Kull, O., M. Broadmeadow, B. Kruijt, and P. Meir. 1999. Light distribution and foliage structure in an oak canopy. *Trees* **14**:55-64.

- Kuuluvainen, T., and T. Pukkala. 1987. Effect of crown shape and tree distribution on the spatial distribution of shade. *Agricultural and Forest Meteorology* **40**:215-231.
- Niinemets, Ü., O. Kull, and J. D. Tenhunen. 1999. Variability in leaf morphology and chemical composition as a function of canopy light environment in coexisting deciduous trees. *International Journal of Plant Sciences* **160**:837-848.
- Parker, G. G., M. M. Davis, and S. M. Chapotin. 2002. Canopy light transmittance in Douglas-fir-western hemlock stands. *Tree Physiology* **22**:147-157.
- Wang, Y. P. 2000. A refinement of the two-leaf model for calculating canopy photosynthesis. *Agricultural and Forest Meteorology* **101**:143-150.
- Wilson, J. W. 1965. Stand structure and light penetration. *Journal of Applied Ecology* **2**:383-390.

## Forest Management

- Culf, A. D., G. Fisch, and M. G. Hodnett. 1995. The albedo of Amazonian forest and ranch land. *Journal of Climate* **8**:1544-1554.
- Dettki, H., and P.-A. Esseen. 1998. Epiphytic macrolichens in managed and natural forest landscapes: a comparison at two spatial scales. *Ecography* **21**:613-624.
- Humphrey, J. W., C. Hawes, A. J. Peace, R. Ferris-Kaan, and M. R. Jukes. 1999. Relationships between insect diversity and habitat characteristics in plantation forests. *Forest Ecology and Management* **113**:11-21.
- Imbeau, L., and A. Desrochers. 2002. Area sensitivity and edge avoidance: the case of the Three-toed Woodpecker (*Picoides tridactylus*) in a managed forest. *Forest Ecology and Management* **164**:249-256.
- Johns, A. D. 1988. Effects of 'selective' timber extraction on rain forest structure and composition and some consequences for frugivores and folivores. *Biotropica* **20**:31-37.
- Kellomäki, S., P. Oker-Blom, E. Valtonen, and H. Vaisanen. 1989. Structural development of Scots pine stands with varying initial density: effect of pruning on branchiness of wood. *Forest Ecology and Management* **27**:219-233.
- Maguire, D. A., J. A. Kershaw-Jr., and D. W. Hann. 1991. Predicting the effects of silvicultural regime on branch size and crown wood core in Douglas-fir. *Forest Science* **37**:1409-1428.
- Menalled, F. D., M. J. Kelty, and J. J. Ewel. 1998. Canopy development in tropical plantations: a comparison of species mixture and monocultures. *Forest Ecology and Management* **104**:249-263.

- Noon, B. R., and K. S. McKelvey. 1996. Management of the spotted owl: a case history in conservation biology. *Annual Review of Ecology and Systematics* **27**:135-162.
- Putz, F. E., G. M. Blate, K. H. Redford, R. Fimbel, and J. Robinson. 2001. Tropical forest management and conservation of biodiversity: an overview. *Conservation Biology* **15**:7-20.
- Romero, C. 1999. Reduced-impact logging effects on commercial non-vascular pendant epiphyte biomass in a tropical montane forest in Costa Rica. *Forest Ecology and Management* **118**:117-125.
- Schowalter, T. D. 1995. Canopy arthropod communities in relation to forest age and alternative harvest practices in western Oregon. *Forest Ecology and Management* **78**:115-125.
- Sillett, S. C. 1995. Branch epiphyte assemblages in the forest interior and on the clearcut edge of a 700-year-old Douglas fir canopy in western Oregon. *Bryologist* **98**:301-312.
- Vidal, E., J. Johns, J. J. Gerwing, P. Barreto, and C. Uhl. 1997. Vine management for reduced-impact logging in eastern Amazonia. *Forest Ecology and Management* **98**:105-114.
- Webb, J. K., and R. Shine. 1997. Out on a limb: conservation implications of tree-hollow use by a threatened snake species (*Hoplocephalus bungaroides*: Serpentes, Elapidae). *Biological Conservation* **81**:21-33.

## Micrometeorology

- Chen, J., S. C. Saunders, T. R. Crow, R. J. Naiman, K. D. Brosofske, G. D. Mroz, B. L. Brookshire, and J. F. Franklin. 1999. Microclimate in forest ecosystem and landscape ecology. *BioScience* **49**:288-297.
- Fuentes, J. D., and D. Wang. 1999. On the seasonality of isoprene emissions from a mixed temperate forest. *Ecological Applications* **9**:1118-1131.
- Grace, J. C., J. Lloyd, J. McIntyre, A. Miranda, P. Meir, H. Miranda, J. Moncrieff, J. Massheder, I. R. Wright, and J. H. C. Gash. 1995. Fluxes of carbon dioxide and water vapour over an undisturbed tropical forest in south-west Amazonia. *Global Change Biology* **1**:1-12.
- Hörmann, G., A. Branding, T. Clemen, M. Herbst, A. Hinrichs, and F. Thamm. 1996. Calculation and simulation of wind controlled canopy interception of a beech forest in northern Germany. *Agricultural and Forest Meteorology* **79**:131-148.
- Lee, X., T. A. Black, G. den Hartog, H. H. Neumann, Z. Nestic, and J. Olejnik. 1996. Carbon dioxide exchange and nocturnal processes over a mixed deciduous forest. *Agricultural and Forest Meteorology* **81**:13-29.
- Roberts, J. M., O. M. R. Cabral, G. Fisch, L. C. B. Molion, C. J. Moore, and W. J. Shuttleworth. 1993. Transpiration from an Amazonian rainforest calculated from stomatal conductance measurements. *Agricultural and Forest Meteorology* **65**:175-196.
- Watanabe, T., and K. Mizutani. 1996. Model study on micrometeorological aspects of rainfall interception over an evergreen broad-leaved forest. *Agricultural and Forest Meteorology* **80**:195-214.

Weathers, K. C., G. M. Lovett, and G. E. Likens. 1995. Cloud deposition to a spruce forest edge. *Atmospheric Environment* **29**:665-672.

## Modelling

- Anderson, M. C., J. M. Norman, T. P. Meyers, and G. R. Diak. 1999. An analytical model for estimating canopy transpiration and carbon assimilation fluxes based on canopy light-use efficiency. *Agricultural and Forest Meteorology* **101**:265-289.
- Asner, G. P., and C. A. Wessman. 1997. Scaling PAR absorption from the leaf to landscape level in spatially heterogeneous ecosystems. *Ecological Modelling* **103**:81-97.
- Calder, I. R. 1977. A model of transpiration and interception loss from a spruce forest in Plynlimon, Central Wales. *Journal of Hydrology* **33**:247-265.
- Chiba, Y. 1998. Architectural analysis of relationship between biomass and basal area based on pipe model theory. *Ecological Modelling* **108**:219-225.
- de Castro, F., and N. Fetcher. 1998. Three dimensional model of the interception of light by a canopy. *Agricultural and Forest Meteorology* **90**:215-233.
- Dolman, A. J. 1987. Summer and winter rainfall interception in an oak forest. Predictions with an analytical and a numerical simulation model. *Journal of Hydrology* **90**:1-9.
- Grant, R. F., and I. A. Nalder. 2000. Climate change effects on net carbon exchange of a boreal aspen-hazelnut forest: estimates from the ecosystem model *ecosys*. *Global Change Biology* **6**:183-200.
- Kinerson-Jr., R., and L. J. Fritschen. 1971. Modelling a coniferous forest canopy. *Agricultural Meteorology* **8**:439-445.

- Kuuluvainen, T., and T. Pukkala. 1989. Simulation of within-tree and between-tree shading of direct radiation in a forest canopy: effect of crown shape and sun elevation. *Ecological Modelling* **49**:89-100.
- Leathwick, J. R., and G. M. Rogers. 1996. Modelling relationships between environment and canopy composition in secondary vegetation in central North Island, New Zealand. *New Zealand Journal of Ecology* **20**:147-161.
- Lindenmayer, D. B., and H. P. Possingham. 1995. Modelling the impacts of wildfire on the viability of metapopulations of the endangered Australian species of arboreal marsupial, Leadbeater's possum. *Forest Ecology and Management* **74**:197-222.
- Liu, S. 1997. A new model for the prediction of rainfall interception in forest canopies. *Ecological Modelling* **99**:151-159.
- Maguire, D. A., M. Moeur, and W. S. Bennett. 1993. Models for describing basal diameter and vertical distribution of primary branches in young Douglas-fir. *Forest Ecology and Management* **63**:23-55.
- Pearce, A. J., and L. K. Rowe. 1981. Rainfall interception in a multi-storied, evergreen mixed forest: estimates using Gash's analytical model. *Journal of Hydrology* **49**:341-353.
- Vose, J. M., and P. V. Bolstad. 1999. Challenges to modelling NPP in diverse eastern deciduous forests: species-level comparisons of foliar respiration responses to temperature and nitrogen. *Ecological Modelling* **122**:165-174.
- Wang, Y. P., and P. G. Jarvis. 1990. Description and validation of an array model - MAESTRO. *Agricultural and Forest Meteorology* **51**:257-280.

Williams, M. 1996. A three-dimensional model of forest development and competition.  
Ecological Modelling **89**:73-98.

## Non-Vascular Epiphytes

- Barkman, J. J. 1958. Phytosociology and ecology of cryptogamic epiphytes. Van Gorcum, Assen, Germany.
- Coxson, D. S. 1991. Nutrient release from epiphytic bryophytes in tropical montane rain forest (Guadeloupe). *Canadian Journal of Botany* **69**:2122-2129.
- Freiberg, E. 1998. Microclimatic parameters influencing nitrogen fixation in the phyllosphere in a Costa Rican premontane rain forest. *Oecologia* **117**:9-18.
- Gradstein, S. R., and T. Pócs. 1989. Biogeography of tropical rain forest bryophytes. Pages 311-325 in H. Lieth and M. J. A. Werge, editors. *Tropical Rain Forest Ecosystems 14B*. Elsevier, Amsterdam.
- McCune, B., R. Rosentreter, J. M. Ponzetti, and D. C. Shaw. 2000. Epiphyte habitats in an old conifer forest in Western Washington, USA. *Bryologist* **103**:417-427.
- Pócs, T. 1982. Tropical forest bryophytes. Pages 59-104 in A. J. E. Smith, editor. *Bryophyte ecology*. Columbia University Press, New York, New York, USA.
- Rhoades, F. M. 1995. Nonvascular epiphytes in forest canopies: worldwide distribution, abundance, and ecological roles. Pages 353-408 in M. D. Lowman and N. M. Nadkarni, editors. *Forest canopies*. Academic Press, San Diego, CA.
- Sillett, S. C., B. McCune, J. E. Peck, T. R. Rambo, and A. Ruchty. 2000. Dispersal limitations of epiphytic lichens result in species dependent on old-growth forests. *Ecological Applications* **10**:789-799.
- Wolf, J. H. D. 1994. Factors controlling the distribution of vascular and non-vascular epiphytes in the northern Andes. *Vegetatio* **112**:15-28.

Wolf, J. H. D. 1995. Non vascular epiphyte diversity patterns in the canopy of an upper montane rain forest, Central Cordillera, Colombia. *Selbyana* **16**:185-195.

## Non-Vascular Epiphytes

- Barkman, J. J. 1958. Phytosociology and ecology of cryptogamic epiphytes. Van Gorcum, Assen, Germany.
- Coxson, D. S. 1991. Nutrient release from epiphytic bryophytes in tropical montane rain forest (Guadeloupe). *Canadian Journal of Botany* **69**:2122-2129.
- Freiberg, E. 1998. Microclimatic parameters influencing nitrogen fixation in the phyllosphere in a Costa Rican premontane rain forest. *Oecologia* **117**:9-18.
- Gradstein, S. R., and T. Pócs. 1989. Biogeography of tropical rain forest bryophytes. Pages 311-325 in H. Lieth and M. J. A. Werger, editors. *Tropical Rain Forest Ecosystems 14B*. Elsevier, Amsterdam.
- McCune, B., R. Rosentreter, J. M. Ponzetti, and D. C. Shaw. 2000. Epiphyte habitats in an old conifer forest in Western Washington, USA. *Bryologist* **103**:417-427.
- Pócs, T. 1982. Tropical forest bryophytes. Pages 59-104 in A. J. E. Smith, editor. *Bryophyte ecology*. Columbia University Press, New York, New York, USA.
- Rhoades, F. M. 1995. Nonvascular epiphytes in forest canopies: worldwide distribution, abundance, and ecological roles. Pages 353-408 in M. D. Lowman and N. M. Nadkarni, editors. *Forest canopies*. Academic Press, San Diego, CA.
- Sillett, S. C., B. McCune, J. E. Peck, T. R. Rambo, and A. Ruchty. 2000. Dispersal limitations of epiphytic lichens result in species dependent on old-growth forests. *Ecological Applications* **10**:789-799.
- Wolf, J. H. D. 1994. Factors controlling the distribution of vascular and non-vascular epiphytes in the northern Andes. *Vegetatio* **112**:15-28.

Wolf, J. H. D. 1995. Non vascular epiphyte diversity patterns in the canopy of an upper montane rain forest, Central Cordillera, Colombia. *Selbyana* **16**:185-195.

## Nutrient Cycling

- Attiwill, P. M. 1966. The chemical composition of rainwater in relation to cycling of nutrients in mature eucalyptus forest. *Plant and Soil* **24**:390-406.
- Baldocchi, D. D. 1988. A multi-layer model for estimating sulfur dioxide deposition to a deciduous oak forest canopy. *Atmospheric Environment* **22**:869-884.
- Bellot, J., A. Àvila, and A. Rodrigo. 1999. Throughfall and stemflow. *Ecological Studies* **137**:209-222.
- Binkley, D., and P. Högberg. 1997. Does atmospheric deposition of nitrogen threaten Swedish forests? *Forest Ecology and Management* **92**:119-152.
- Bredemeier, M., K. Blanck, A. Dohrenbusch, N. Lamersdorf, A. C. Meyer, D. Murach, A. Parth, and Y.-J. Xu. 1998. The Solling roof project - site characteristics, experiments and results. *Forest Ecology and Management* **101**:281-293.
- Duquesnay, A., J. L. Dupouey, A. Clement, E. Ulrich, and F. LeTacon. 2000. Spatial and temporal variability of foliar mineral concentration in beech (*Fagus sylvatica*) stands in northeastern France. *Tree Physiology* **20**:13-22.
- Elbert, W., M. R. Hoffmann, M. Krämer, G. Schmitt, and M. O. Andreae. 2000. Control of solute concentrations in cloud and fog water by liquid water content. *Atmospheric Environment* **34**:1109-1122.
- Garten-Jr., C. T., A. B. Schwab, and T. L. Shirshac. 1998. Foliar retention of <sup>15</sup>N tracers: implications for net canopy exchange in low- and high-elevation forest ecosystems. *Forest Ecology and Management* **103**:211-216.
- Heath, J. A., and B. J. Huebert. 1999. Cloudwater deposition as a source of fixed nitrogen in a Hawaiian montane forest. *Biogeochemistry* **44**:119-134.

- Jordan, C. F., F. B. Golley, J. B. Hall, and J. Hall. 1980. Nutrient scavenging of rainfall by the canopy of an Amazonian rain forest. *Biotropica* **12**:61-66.
- Kimmins, J. P. 1973. Some statistical aspects of sampling throughfall precipitation in nutrient cycling studies in British Columbian coastal forests. *Ecology* **54**:1008-1019.
- Lindberg, S. E., and C. T. Garten-Jr. 1988. Sources of sulphur in forest canopy throughfall. *Nature* **336**:148-151.
- Lovett, G. M. 1994. Atmospheric deposition of nutrients and pollutants in North America: an ecological perspective. *Ecological Applications* **4**:629-650.
- Nadkarni, N. M. 1981. Canopy roots: convergent evolution in rainforest nutrient cycles. *Science* **214**:1023-1024.
- Veneklaas, E. J. 1990. Nutrient fluxes in bulk precipitation and throughfall in two montane tropical rain forests, Colombia. *Journal of Ecology* **78**:974-992.
- Vitousek, P. M. 1982. Nutrient cycling and nutrient use efficiency. *American Naturalist* **119**:553-572.

## Plant Physiology

- Aber, J. D., P. B. Reichard, and M. L. Goulden. 1996. Extrapolating leaf CO<sub>2</sub> exchange to the canopy: a generalized model forest photosynthesis compared with measurements by eddy correlation. *Oecologia* **106**:257-265.
- Andrade, J. L., F. C. Meinzer, G. Goldstein, N.M. Holbrook, J. Cavelier, P. Jackson, and K. Silvera. 1998. Regulation of water flux through trunks, branches, and leaves in trees of a lowland tropical forest. *Oecologia* **115**:463-471.
- Bassow, S., and F. A. Bazzaz. 1998. How environmental conditions affect canopy leaf-level photosynthesis in four deciduous tree species. *Ecology* **79**:2660-2675.
- Bauerle, W. L., T. M. Hinckley, J. Cermák, J. Kucera, and K. Bible. 1999. The canopy water relations of old-growth Douglas-fir trees. *Trees* **13**:211-217.
- Gauslaa, Y., and K. A. Solhaug. 1996. Differences in the susceptibility to light stress between epiphytic lichens of ancient and young boreal forest stands. *Functional Ecology* **10**:344-354.
- Gond, V., D. G. G. de Pury, F. Veroustraete, and R. Ceulemans. 1999. Seasonal variations in leaf area index, leaf chlorophyll, and water content; scaling-up to estimate fAPAR and carbon balance in a multilayer, multispecies temperate forest. *Tree Physiology* **19**:673-679.
- Griffin, K. L., D. T. Tissue, M.H. Turnbull, W. Schuster, and D. Whitehead. 2001. Leaf dark respiration as a function of canopy position in *Nothofagus fusca* trees grown at ambient and elevated CO<sub>2</sub> partial pressures for 5 years. *Functional Ecology* **15**:497-505.

- Hietz, P., and O. Briones. 1998. Correlation between water relations and within-canopy distribution of epiphytic ferns in a Mexican cloud forest. *Oecologia* **114**:305-316.
- Hirose, T., and F. A. Bazzaz. 1998. Trade-off between light- and nitrogen-use efficiency in canopy photosynthesis. *Annals of Botany* **82**:195-202.
- Hubbard, R. M., B. J. Bond, and M.G. Ryan. 1999. Evidence that hydraulic conductance limits photosynthesis in old *Pinus ponderosa* trees. *Tree Physiology* **19**:165-172.
- Kull, O., and B. Kruijt. 1998. Leaf photosynthetic light response: a mechanistic model for scaling photosynthesis to leaves and canopies. *Functional Ecology* **12**:767-777.
- Lewandowska, M., J. W. Hart, and P.G. Jarvis. 1977. Photosynthetic electron transport in shoots of Sitka spruce from different levels in a forest canopy. *Physiologia Plantarum* **41**:124-128.
- Lüttge, U., M. Haridasan, G.W. Fernandes, E.A. de Mattos, P. Trimborn, A.C. Franco, L.S. Caldas, and H. Ziegler. 1998. Photosynthesis of mistletoes in relation to their hosts at various sites in tropical Brazil. *Trees* **12**:167-174.
- Martin, T. A., T. M. Hinckley, F.C. Meinzer, and D.G. Sprugel. 1999. Boundary layer conductance, leaf temperature and transpiration of *Abies amabilis* branches. *Tree Physiology* **19**:435-443.
- Mulkey, S. S., K. Kitajima, and S.J. Wright. 1996. Plant physiological ecology of tropical forest canopies. *Trends in Ecology and Evolution* **11**:408-412.
- Raulier, F., P. Y. Bernier, and C.H. Ung. 1999. Canopy photosynthesis of sugar maple (*Acer saccharum*): comparing big-leaf and multilayer extrapolations of leaf-level measurements. *Tree Physiology* **19**:407-420.

- Rennolls, K. 1994. Pipe model theory of stem-profile development. *Forest Ecology and Management* **69**:41-55.
- Schäfer, K. V. R., R. Oren, and J.D. Tenhunen. 2000. The effect of tree height on crown level stomatal conductance. *Plant, Cell and Environment* **23**:365-375.
- Wang, Y. P., and P. G. Jarvis. 1990. Influence of crown structural properties on PAR absorption, photosynthesis, and transpiration in sitka spruce: application of a model (MAESTRO). *Tree Physiology* **7**:297-316.
- Zimmermann, U., F. C. Meinzer, and F. W. Bentrup. 1995. How does water ascend in tall trees and other vascular plants? *Annals of Botany* **76**:545-551.
- Zotz, G., and K. Winter. 1994. Annual carbon balance and nitrogen-use efficiency in tropical C<sub>3</sub> and CAM epiphytes. *New Phytologist* **126**:481-492.

## Remote Sensing

- Arseneault, D., N. Villeneuve, C. Boismenu, Y. LeBlanc, and J. Deshayé. 1997. Estimating lichen biomass and caribou grazing on the wintering grounds of northern Québec: an application of fire history and LANDSAT data. *Journal of Applied Ecology* **34**:65-78.
- Chen, J. M., J. Liu, J. Cihlar, and M. L. Goulden. 1999. Daily canopy photosynthesis model through temporal and spatial scaling for remote sensing applications. *Ecological Modelling* **124**:99-119.
- Gastellu-Etchegorry, J. P., and V. Trichon. 1998. A modeling approach of PAR environment in a tropical rain forest in Sumatra: application to remote sensing. *Ecological Modelling* **108**:237-264.
- Jorge, L. A. B., and G. J. Garcia. 1997. A study of habitat fragmentation in southeastern Brazil using remote sensing and geographic information systems (GIS). *Forest Ecology and Management* **98**:35-47.
- Lathrop-Jr., R., G. Pierce, and L. L. Pierce. 1991. Ground-based canopy transmittance and satellite remotely sensed measurements for estimation of coniferous forest canopy structure. *Remote Sensing of Environment* **36**:179-188.
- Lefsky, M. A., W. B. Cohen, S. A. Acker, G. G. Parker, T. A. Spies, and D. J. Harding. 1999. Lidar remote sensing of the canopy structure and biophysical properties of Douglas-fir western hemlock forests. *Remote Sensing of Environment* **70**:339-361.
- Lefsky, M. A., W. B. Cohen, G. G. Parker, and D. J. Harding. 2002. Lidar remote sensing for ecosystem studies. *BioScience* **52**:19-30.

- Liebhold, A. M., J. S. Elkinton, D. R. Miller, and Y. S. Wang. 1988. Estimating oak leaf area index and gypsy moth, *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae), defoliation using canopy photographs. *Environmental Entomology* **17**:560-566.
- Luvall, J. C., D. Lieberman, M. Lieberman, G. S. Hartshorn, and R. Peralta. 1990. Estimation of tropical forest canopy temperatures, thermal response numbers, and evapotranspiration using an aircraft-based thermal sensor. *Photogrammetric Engineering and Remote Sensing* **56**:1393-1401.
- Moeur, M. 1994. Automated video image analysis to quantify canopy gaps in old-growth forests. *Agricultural and Forest Meteorology*.
- Nelson, R. F., W. Krabill, and G. Maclean. 1984. Determining forest canopy characteristics using airborne laser data. *Remote Sensing of Environment* **15**:201-212.
- Nichol, C. J., K. F. Huemmrich, T. A. Black, P. G. Jarvis, C. L. Walthall, J. C. Grace, and F. G. Hall. 2000. Remote sensing of photosynthetic-light-use efficiency of boreal forest. *Agricultural and Forest Meteorology* **101**:131-142.
- Peterson, D. L., J. D. Aber, P. A. Matson, D. H. Card, N. Swanberg, C. A. Wessman, and M. Spanner. 1988. Remote sensing of forest canopy and leaf biochemical contents. *Remote Sensing of Environment* **24**:85-108.
- Royle, D. D., and R. G. Lathrop-Jr. 1997. Monitoring hemlock forest health in New Jersey using Landsat TM Data and change detection techniques. *Forest Science* **43**:327-335.
- Saatchi, S., D. Agosti, K. Alger, J. Delabie, and J. Musinsky. 2001. Examining fragmentation and loss of primary forest in the southern Bahian Atlantic forest of Brazil with radar imagery. *Conservation Biology* **15**:867-875.

- Turner, D. P., W. B. Cohen, R. E. Kennedy, K. S. Fassnacht, and J. M. Briggs. 1999. Relationships between leaf area index and Landsat TM spectral vegetation indices across three temperate zone sites. *Remote Sensing of Environment* **70**:52-68.
- Wang, Y. Q., and D. K. Moskovits. 2001. Tracking fragmentation of natural communities and changes in land cover: Applications of Landsat data for conservation in an urban landscape (Chicago wilderness). *Conservation Biology* **15**:835-843.
- Waring, R. H., J. Way, E. R. Hunt-Jr., L. Morrissey, K. J. Ranson, J. F. Weishampel, R. Oren, and S. E. Franklin. 1995. Imaging radar for ecosystem studies. *BioScience* **45**:715-723.
- White, J. D., S. W. Running, R. Nemani, R. E. Keane, and K. C. Ryan. 1997. Measurement and remote sensing of LAI in Rocky Mountain montane ecosystems. *Canadian Journal of Forest Research* **27**:1714-1727.

## Research Equipment and Methodology

- Adis, J. A., Y. Basset, A. Floren, P. M. Hammond, and K. E. Linsenmair. 1998. Canopy fogging of an overstory tree - recommendations for standardization. *Ecotropica* **4**:93-97.
- Basset, Y., V. Novotny, S. E. Miller, and R. Pyle. 2000. Quantifying biodiversity: experience with parataxonomists and digital photography in Papua New Guinea and Guyana. *BioScience* **50**:899-908.
- Claassen, H. C., and D. R. Halm. 1995. Performance characteristics of an automated wet deposition collector and possible effect on computed annual deposition. *Atmospheric Environment* **29**:1021-1026.
- Clark, F. G. 1961. A hemispherical forest photocanopymeter. *Journal of Forestry* **59**:103-105.
- Davis, W. E. 1939. Measurement of precipitation above forest canopies. *Journal of Forestry* **37**:324-329.
- Dial, R., and S. C. Tobin. 1994. Description of arborist methods for forest canopy access and movement. *Selbyana* **15**:24-37.
- Dufrêne, E., and N. Bréda. 1995. Estimation of deciduous forest leaf area index using direct and indirect methods. *Oecologia* **104**:156-162.
- Gottsberger, G., and J. Döring. 1995. 'COPAS', an innovative technology for long-term studies of tropical rain forest canopies. *Phyton* **35**:165-173.
- Hancock, N. H., and J. M. Crowther. 1979. A technique for the direct measurement of water storage on a forest canopy. *Journal of Hydrology* **41**:105-122.

- Humphrey, P. S., D. Bridge, and T. E. Lovejoy. 1968. A technique for mist-netting in the forest canopy. *Bird-banding* **39**:43-50.
- Looman, S. J., D. A. Boyce-Jr., C. M. White, D. L. Shirley, and W. J. Mader. 1985. Use of ultralight aircraft for raptor nest surveys. *Wildlife Society Bulletin* **13**:539-543.
- Martens, S. N., S. L. Ustin, and R. A. Rousseau. 1993. Estimation of tree canopy leaf area index by gap fraction analysis. *Forest Ecology and Management* **61**:91-108.
- McIntyre, B. M., M. A. Scholl, and J. T. Sigmon. 1990. A quantitative description of a deciduous forest canopy using a photographic technique. *Forest Science* **36**:381-393.
- Moffett, M. W. 2000. What's "Up"? A critical look at the basic terms of canopy biology. *Biotropica* **32**:569-596.
- Morell, V. 1994. Crane experiment finally perches in Washington State. *Science* **264**:1842.
- Parker, G. G., A. P. Smith, and K. P. Hogan. 1992. Access to the upper forest canopy with a large tower crane: sampling the treetops in three dimensions. *BioScience* **42**:664-671.
- Perry, D. R. 1978. A method of access into the crowns of emergent and canopy trees. *Biotropica* **10**:155-157.
- Wang, Y. S., D. R. Miller, J. M. Welles, and G. M. Heisler. 1992. Spatial variability of canopy foliage in an oak forest estimated with fisheye sensors. *Forest Science* **38**:854-865.
- Whitacre, D. F. 1981. Additional techniques and safety hints for climbing tall trees, and some equipment and information sources. *Biotropica* **13**:286-291.

## Canopy Structure

- Batista, J. L. F., and D. A. Maguire. 1998. Modeling the spatial structure of tropical forests. *Forest Ecology and Management* **110**:293-314.
- Brokaw, N. V. L., and J. S. Grear. 1991. Forest structure before and after Hurricane Hugo at three elevations in the Luquillo Mountains, Puerto Rico. *Biotropica* **23**:386-392.
- Cermák, J., F. Riguzzi, and R. Ceulemans. 1998. Scaling up from the individual tree to the stand level in Scots pine. I. Needle distribution, overall crown and root geometry. *Annales des Sciences Forestieres* **55**:63-88.
- Chen, S. G., R. Ceulemans, and I. Impens. 1994. A fractal-based *Populus* canopy structure model for the calculation of light interception. *Forest Ecology and Management* **69**: 97-110.
- Dubrasich, M. E., D. W. Hann, and J.C. Tappeiner-II. 1997. Methods for evaluating crown area profiles of forest stands. *Canadian Journal of Forest Research* **27**: 385-392.
- Ellsworth, D. S., and P. B. Reich. 1993. Canopy structure and vertical patterns of photosynthesis and related leaf traits in a deciduous forest. *Oecologia* **96**:169-178.
- Gratani, L. 1997. Canopy structure, vertical radiation profile and photosynthetic function in a *Quercus ilex* evergreen forest. *Photosynthetica* **33**:139-149.
- Herwitz, S. R., and R. E. Slye. 1995. Three-dimensional modeling of canopy tree interception of wind-driven rainfall. *Journal of Hydrology* **168**:205-226.
- Ishii, H., and N. McDowell. 2001. Age-related development of crown structure in coastal Douglas-fir trees. *Forest Ecology and Management* **5795**:1-14.
- Kinerson, R. S., K. O. Higginbotham, and R. C. Chapman. 1974. The dynamics of foliage distribution within a forest canopy. *Journal of Applied Ecology* **11**:347-353.

- Koike, F. 1986. Canopy dynamics estimated from shoot morphology in an evergreen broad-leaved forest. *Oecologia* **70**:348-350.
- Kuuluvainen, T., and T. Pukkala. 1989. Simulation of within-tree and between-tree shading of direct radiation in a forest canopy: effect of crown shape and sun elevation. *Ecological Modeling* **49**:89-100.
- Lovett, G. M., and W. A. Reiners. 1986. Canopy structure and cloud water deposition in subalpine coniferous forests. *Tellus* **38B**:319-327.
- Muul, I., and L. B. Liat. 1970. Vertical zonation in a tropical rain forest in Malaysia: method of study. *Science* **169**:788-789.
- Oker-Blom, P., and S. Kellomäki. 1982. Theoretical computations on the role of crown shape in the absorption of light by forest trees. *Mathematical Biosciences* **59**:291-311.
- Parker, G. G., J. P. O'Neill, and D. Higman. 1989. Vertical profile and canopy organization in a mixed deciduous forest. *Vegetatio* **85**:1-11.
- Rich, P. M. 1990. Characterizing plant canopies with hemispherical photographs. *Remote Sensing Reviews* **5**:13-29.
- Smith, A. P. 1973. Stratification of temperate and tropical forests. *American Naturalist* **107**:671-682.
- Sumida, A. 1995. Three-dimensional structure of a mixed broad-leaved forest in Japan. *Vegetatio* **119**:67-80.
- Zeide, B., and P. Pfeifer. 1991. A method for estimation of fractal dimension of tree crowns. *Forest Science* **37**:1253-1265.

## Tree Architecture

- Becker, P., F. C. Meinzer, and S. D. Wullschleger. 2000. Hydraulic limitation of tree height: a critique. *Functional Ecology* **14**:4-11.
- Benecke, U. 1979. Surface area of needles in *Pinus radiata* - variation with respect to age and crown position. *New Zealand Journal of Forestry Science* **9**:267-271.
- Hasenauer, H. 1997. Dimensional relationships of open-grown trees in Austria. *Forest Ecology and Management* **96**:197-206.
- King, D. A. and J. H. Maindonald. 1999. Tree architecture in relation to leaf dimensions and tree stature in temperate and tropical rain forests. *Journal of Ecology* **87**:1012-1024.
- Küppers, M. 1989. Ecological significance of above-ground architectural patterns in woody plants: a question of cost-benefit relationships. *Trends in Ecology and Evolution* **4**:375-380.
- Kuuluvainen, T. 1992. Tree architectures adapted to efficient light utilization: is there a basis for latitudinal gradients? *Oikos* **62**:275-284.
- Lawton, R. O. 1982. Wind stress and elfin stature in a montane rain forest tree: an adaptive explanation. *American Journal of Botany* **69**:1224-1230.
- Leverenz, J. W. 1995. Shade shoot structure of conifers and the photosynthetic response to light at two CO<sub>2</sub> partial pressures. *Functional Ecology* **9**:413-421.
- Raulier, F., and C.H. Ung. 1997. Influence of shading on the relationship between leaf area and crown surface area in sugar maple stands. *Ecological Modeling* **104**:51-69.
- Rust, S., and R. F. Hüttl. 1999. The effect of shoot architecture on hydraulic conductance in beech (*Fagus sylvatica* L.). *Trees* **14**:39-42.

- Smith, W. K., and C. A. Brewer. 1994. The adaptive importance of shoot and crown architecture in conifer trees. *American Naturalist* **143**:528-532.
- Sterck, F. J., and F. Bongers. 1998. Ontogenetic changes in size, allometry, and mechanical design of tropical rain forest trees. *American Journal of Botany* **85**:266-272.
- Tomlinson, P. B. 1987. Architecture of tropical plants. *Annual Review of Ecology and Systematics* **18**:1-21.
- Valverde, T., and J. Silvertown. 1997. Canopy closure rate and forest structure. *Ecology* **78**:1555-1562.

## Vascular Plants

- Ackerman J. D., and A. M. Montalvo. 1990. Short- and long-term limitations to fruit production in a tropical orchid. *Ecology* **71**: 263-272.
- Andrade, J. L., F. C. Meinzer, G. Goldstein, N. M. Holbrook, J. Cavelier, P. Jackson, and K. Silvera. 1998. Regulation of water flux through trunks, branches, and leaves in trees of a lowland tropical forest. *Oecologia* **115**:463-471.
- Andrade, J. L., and P. S. Nobel. 1996. Habitat, CO<sub>2</sub> uptake and growth for the CAM epiphytic cactus *Epiphyllum phyllanthus* in a Panamanian tropical forest. *Journal of Tropical Ecology* **12**:291-306.
- Bassow, S., and F. A. Bazzaz. 1998. How environmental conditions affect canopy leaf-level photosynthesis in four deciduous tree species. *Ecology* **79**:2660-2675.
- Benzing DH. 1981. Bark surfaces and the origin and maintenance of diversity among angiosperm epiphytes: a hypothesis. *Selbyana* **5**: 248-255.
- Benzing, D. H. 1998. Vulnerabilities of tropical forests to climate change: the significance of resident epiphytes. *Climate Change* **39**: 519-540.
- Biebl R. 1964. Zum Wasserhaushalt von *Tillandsia recurvata* L. und *Tillandsia usneoides* L. auf Puerto Rico. *Protoplasma* **58**:345-368.
- Brooks, J. R., D. G. Sprugel, and T. M. Hinckley. 1996. The effects of light acclimation during and after foliage expansion on photosynthesis of *Abies amabilis* foliage within the canopy. *Oecologia* **107**:21-32.
- Callaway R. M., K. O. Reinhart, and S.C. Pennings. 2001. Effects of epiphytic lichens on host preference of the vascular epiphyte *Tillandsia usneoides*. *Oikos* **94**: 433-441.

- Ellsworth, D. S. 1999. CO<sub>2</sub> enrichment in a maturing pine forest: are CO<sub>2</sub> exchange and water status in the canopy affected? *Plant, Cell and Environment* **22**:461-472.
- Forman R. T. T. 1975. Canopy lichens with blue-green algae: a nitrogen source in a Columbian rain forest. *Ecology* **56**:1176-1184.
- Freiberg, M. 1999. The vascular epiphytes on a *Virola michelii* tree in French Guiana. *Ecotropica* **5**:75-81.
- Gauslaa, Y., and K. A. Solhaug. 1996. Differences in the susceptibility to light stress between epiphytic lichens of ancient and young boreal forest stands. *Functional Ecology* **10**:344-354.
- Gentry A. H., and C. H. Dodson. 1987. Diversity and biogeography of neotropical vascular epiphytes. *Annals of the Missouri Botanical Garden* **74**:205-233.
- Green, T. G. A., A. C. Meyer, B. Buedel, H. Zellner, and O. L. Lange. 1995. Diel patterns of CO<sub>2</sub>-exchange for six lichens from a temperate rain forest in New Zealand. *Symbiosis* **18**:251-273.
- Griffiths, H., and K. Maxwell. 1999. In memory of C. S. Pittendrigh: Does exposure in forest canopies relate to photoprotective strategies in epiphytic bromeliads? *Functional Ecology* **13**:15-23.
- Hietz, P. 1997. Population dynamics of epiphytes in a Mexican humid montane forest. *Journal of Ecology* **85**:767-777.
- Hietz-Seifert, U., P. Hietz, and S. Guevara. Epiphytic vegetation and diversity on remnant trees after forest clearance in southern Veracruz, Mexico. *Biological Conservation* **75**:103-111.

- Holbrook, N. M., and F. E. Putz. 1996. Water relations of epiphytic and terrestrially-rooted strangler figs in a Venezuelan palm savanna. *Oecologia* **106**:424-431.
- Ingram, S. W., and Nadkarni, N. M. 1993. Composition and distribution of epiphytic organic matter in a neotropical forest, Costa Rica. *Biotropica* **25**: 370-383.
- Isagi, Y., K. Sugimura, A. Sumida, and H. Ito. 1997. How does masting happen and synchronize? *Journal of Theoretical Biology* **187**:231-239.
- Ishii, H., and E. D. Ford. 2001. The role of epicormic shoot production in maintaining foliage in old *Pseudotsuga menziesii* (Douglas-fir) trees. **79**:251-264.
- Johansson, D. R. 1974. Ecology of vascular epiphytes in West African rain forest. *Acta Phytogeogr. Suecica* **59**:1-136.
- Lüttge, U., M. Haridasan, G. W. Fernandes, E. A. de Mattos, P. Trimborn, A. C. Franco, L. S. Caldas, and H. Ziegler. 1998. Photosynthesis of mistletoes in relation to their hosts at various sites in tropical Brazil. *Trees* **12**:167-174.
- Madison, M. 1977. Vascular epiphytes. Their systematic occurrence and salient features. *Selbyana* **2**:1-13.
- Martin, C. E. 1994. The physiological ecology of Bromeliaceae. *Botanical Review* **60**:1-82.
- Medway, Lord. 1972. Phenology of a tropical rain forest in Malaya. *Biological Journal of the Linnean Society* **4**:117-146.
- Nadkarni N. M. 1981. Canopy roots: convergent evolution in rainforest nutrient cycles. *Science* **214**:1023-1024.
- Pittendrigh, C. S. 1948. The Bromeliad-Anopheles-Malaria complex in Trinidad. I - The bromeliad flora. *Evolution* **2**: 58-89.

- Pócs, T. 1980. The epiphytic biomass and its effect on the water balance of two rain forest types in the Uluguru Mountains (Tanzania, East Africa). *Acta Botanica Academiae Scientiarum Hungaricae* **26**:143-167.
- Richardson, B. A. 1999. The bromeliad microcosm and the assessment of faunal diversity in a neotropical forest. *Biotropica* **31**:321-336.
- Ruinen J. 1953. Epiphytosis. A second view on epiphytism. *Annales Bogorienses* **1**:101-157.
- Schimper, A. F. W. 1888. *Die epiphytische Vegetation Amerikas*. Jena: Gustav Fischer.
- Tewari, M., N. Upreti, P. Pandey, and S. P. Singh. 1985. Epiphytic succession on tree trunks in a mixed oak-cedar forest, Kumaun Himalaya. *Vegetatio* **63**:105-112.
- Webb, W. L., and M. J. Unger. 1993. Three dimensional distribution of needle and stem surface area in a Douglas-fir. *Tree Physiology* **13**:203-212.
- Went F. W. 1940. Soziologie der Epiphyten eines tropischen Regenwaldes. *Annales du Jardin Botanique de Buitenzorg* **50**:1-98.
- Zotz, G., and Andrade, J. L. 1998. Water relations of two co-occurring bromeliads. *Journal of Plant Physiology* **152**:545-554.

## Vertebrates

- Dial, R., and J. Roughgarden. 1995. Experimental removal of insectivores from rain forest canopy: direct and indirect effects. *Ecology* **76**:1821-1834.
- Emmons, L. H., and A. H. Gentry. 1983. Tropical forest structure and the distribution of gliding and prehensile tailed vertebrates. *American Naturalist* **121**:513-524
- Greenberg, R. 1981. The abundance and seasonality of forest canopy birds on Barro Colorado Island, Panama. *Biotropica* **13**:241-251.
- Lopez, L.C.S., P.J.F. Pena-Rodrigues, and R.I. Rios. 1999. Frogs and snakes as phoretic dispersal agents of bromeliad ostracods (Limnocytheridae: Elpidium) and annelids (Naididae: Dero). *Biotropica* **31**:705-708.
- Malcolm, J. R. 1995. Forest structure and the diversity of neotropical small mammals. Pages 179-197 *in* M. D. Lowman and N. M. Nadkarni, editors. *Forest Canopies*. Academic Press, San Diego, CA, USA.
- Nadkarni, N. M., and T. J. Matelson. 1989. Bird use of epiphyte resources in neotropical trees. *Condor* **91**:891-907.
- Reagan, D. P. 1992. Congeneric species distribution and abundance in a three-dimensional habitat: The rain forest anoles of Puerto Rico. *Copeia* **2**:392-403.
- Smith, A. P. 1984. Demographic consequences of reproduction, dispersal, and social interaction in a population of Leadbeater's Possum. Pages 359-373 *in* A.P. Smith and I.D. Hume, editors. *Possums and Gliders*. Surrey Beatty and Sons, Sydney, New South Wales, Australia.