

K.E. Linsenmair

Lehrstuhl für Tierökologie und Tropenbiologie (Zoologie III)
Theodor-Boveri-Institut, Biozentrum,
Am Hubland, D-97074
Würzburg, Germany
Email: kelins@biozentrum.uni-wuerzburg.de
University Website:
<http://www.biozentrum.uni-wuerzburg.de/zoo3/perso.htm>

Scientific Publications and Contributions:

Verzeichnis der Veröffentlichungen (ab X. 1987-II. 1999)

Linsenmair K.E. (1987) Kin recognition in subsocial arthropods, in particular in the desert isopod *Hemilepistus reaumuri*. In: Fletcher D.J.C., Michener C.D. (eds) Kin recognition in animals. Chapter 6: 121-208

Linsenmair K.E., Mikula G. (1987) Soziale Einflüsse. In: Deutsches Institut für Fernstudien, Tübingen: Funkkolleg Psychobiologie, Studienbegleitbrief 8: 57-94. Belz Verlag, Weinheim und Basel

Linsenmair K.E., Mikula G. (1987) Keiner lebt für sich allein: Soziale Einflüsse. Rundfunkmanuskript in funkkolleg Psychobiologie, Verhalten bei Mensch und Tier. Deutsches Institut für Fernstudien (DIFF), pp. 1-32

Linsenmair K.E., Tyrell H., Schulze H.J., Müller K.E. (1987) Familie und Kleingruppen. In: Deutsches Institut für Fernstudien, Tübingen: Funkkolleg Psychobiologie, Studienbegleitbrief 12: 51-105. Belz Verlag, Weinheim und Basel

Schmuck R., Linsenmair K.E. (1988) Adaptations of the reed frog *Hyperolius viridiflavus* (Amphibia, Anura, Hyperoliidae) to its arid environment. III. Aspects of nitrogen metabolism and osmoregulation in the reed frog, *Hyperolius viridiflavus taeniatus*, with special reference to the role of iridophores. *Oecologia* (Berlin) 75: 354- 361

Geise W, Linsenmair K.E., (1988) Adaptations of the reed frog *Hyperolius viridiflavus* (Amphibia, Anura, Hyperoliidae) to its arid environment. IV. Ecological significance of water economy with comments on thermoregulation and energy allocation *Oecologia* (Berlin) 77: 327-338.

Linsenmair K.E., Mikula G. (1988) Soziale Einflüsse. In: Immelmann K, Scherer KR, Vogel C, Schmook P (Herausg.) *Psychobiologie -Grundlagen des Verhaltens*. G. Fischer Verlag Stuttgart New York, Kap.13: 455- 486

Linsenmair K.E., Tyrell H., Schulze H.J., Müller KE (1988) Familie und Kleingruppen. In: Immelmann K., Scherer K.R., Vogel C., Schmook P., (Herausg.) *Psychobiologie -Grundlagen des Verhaltens*. G. Fischer Verlag Stuttgart New York, Kap.20: 709-757.

Schildknecht H, Eßwein U, Hering W, Blaschke C, Linsenmair KE (1988) Diskriminierungspheromone der sozialen Wüstenassel *Hemilepistus reaumuri*. *Z Naturforsch* 43c: 613-620

- Schmuck R., Kobelt F., Linsenmair K.E. (1988) Adaptations of the reed frog *Hyperolius viridiflavus* (Amphibia, Anura, Hyperoliidae) to its arid environment. V. Iridophores and nitrogen metabolism. *J Comp Physiol B* 158: 537-546.
- Linsenmair, K.E., (1989) Sex-specific reproductive patterns in some terrestrial isopods. In: Rasa A.E., Vogel C., Volland E.. (eds) *The sociobiology of sexual and reproductive strategies*. Chapman and Hall, London New York, chapter 2: 19-47.
- Grafe U., Linsenmair K.E. (1989) Protogynous sex change in the reed frog *Hyperolius viridiflavus*. *Copeia* 1989: 1024-1029.
- Linsenmair K.E. (1990) Tropische Biodiversität: Befunde und offene Probleme. *Verh Deutsch Zool Ges* 83: 245-261.
- Linsenmair K.E. (1990) Die Selbstorganisation des Lebens: Von der Lebensentstehung zum Ökosystem. In: Böhm W, Lindauer M. (eds) *Woher, Wozu, Wohin? Fragen nach dem menschlichen Leben*. Ernst Klett Schulbuchverlag, 54-84.
- Buchholz S., Linsenmair K.E. (1991) Passen in Pfützen lebende Kaulquappen (Bsp. *Bombina variegata*) ihre Entwicklungsstrategie an sich verändernde Umweltbedingungen an? *Verh Dtsche Zool Ges* 84, Tübingen, 302-303.
- Radl R.C., Linsenmair K.E. (1991) Maternal behaviour and nest recognition in the subsocial earwig *Labidura riparia* Pallas (Dermaptera: Labiduridae). *Ethology* 89, 287-296.
- Strohm E.E.K., Linsenmair K.E. (1991) Allokation elterlicher Investition beim Bienenwolf *Philanthus triangulum* (Hymenoptera: Sphecidae). *Verh Dtsche Zool Ges* 84, Tübingen, 330-331.
- Linsenmair K.E. (1992) Tropische Biodiversität. *Lexikon der Biologie*, Band 1, 409-416. Schmitt, M.(ed.), Herder Verlag
- Freiburg Kobelt F., Linsenmair K.E. (1992) Adaptations of the reed frog *Hyperolius viridiflavus* (Amphibia, Anura, Hyperoliidae) to its arid environment. VI. The iridophores in the skin of *Hyperolius viridiflavus taeniatus* as radiation reflectors. *J Comp Physiol B* 162, 314-326.
- Grafe U., Schmuck R., Linsenmair K.E. (1992) Reproductive energetics of the African reed frogs *Hyperolius viridiflavus* and *Hyperolius marmoratus*. *Physiol Zool* 65, 153-171.
- Linsenmair K.E. (1992) Vorwort zu: *Ende der Biologischen Vielfalt*. Wilson, EO (Hrg.), Spektrum Akademischer Verlag, Heidelberg, pp. 11-13.
- Maschwitz U., Fiala B., Linsenmair K.E.. (1992). A new ant-tree from SE Asia: *Zanthoxylum myriacanthum* (Rutaceae), the thorny ivy-rue (Chenkering, Kabu Utan). *Malay Nat J* 46: 101-109.
- Röder G., Steinlein C., Schmid, M., Linsenmair K.E. (1993) Karyotype and chromosome banding in the Turkish desert woodlouse *Desertellio elongatus* (Crustacea, Isopoda, Oniscoidea). *Experientia* 49, 339-441
- Linsenmair K.E. (1994). Reproductive behaviour and chemical communication in the monogamous desert isopod *Hemilepistus reaumuri* and some other subsocial isopods. *Ethology Ecology & Evolution, Special Issue* 3, 3-4.
- Fiala B., Grunsky H., Maschwitz U., Linsenmair K.E. (1994). Diversity of ant-plant interactions: Protective efficacy in *Macaranga* species with different degrees of

ant-association. *Oecologia* 97, 186-192.

Meiners T., Strohm E., Linsenmair K.E.. (1994). Das Paarungssystem von *Malachius bipustulatus* (Coleoptera: Malachiidae). *Verh Dtsche Zool Ges* 87.1, Jena, 50.

Strohm E., Linsenmair K.E. (1994). Aufteilungen elterlicher Investitionen unter den Nachkommen beim Europäischen Bienenwolf *Philanthus triangulum* F. (Hymenoptera: Sphecidae). *Verh Dtsche Zool Ges* 87.1, Jena, 62

Fiala B., Linsenmair K.E, Maschwitz U. (1994). Diversität von Ameisen-Pflanzen-Interaktionen im südostasiatischen Regenwald. *Staat Mus Natkde Karlsruhe: Andrias Sonderband* 13, 169-178.

Floren A., Linsenmair K.E. (1994). Zur Diversität und Wiederbesiedlungsdynamik von Arthropoden auf drei Baumarten in einem Regenwald in Sabah, Malaysia. *Andrias Sonderband* 13, 23-28.

Maschwitz U., Fiala B., Linsenmair K.E. (1994). *Clerodendrum fistulosum* Beccari (Verbenaceae), an unspecific myrmecophyte from Borneo with spontaneously opening domatia. *Blumea* (Leiden) 39: 143-150.

Schmuck R., Geise W., Linsenmair K.E. (1994) Life cycle strategies and physiological adjustments of reedfrog tadpoles (Amphibia, Anura, Hyperoliidae) in relation to environmental conditions. *Copeia* 1994(4), 996-1007.

Fiala B., Linsenmair K.E. (1995). Distribution and abundance of plants with extrafloral nectaries in the woody flora of a lowland primary forest in Malaysia. *Biodiv Cons* 4, 165-182.

Linsenmair, K.E. (1995). Biologische Vielfalt und ökologische Stabilität. *Wissenschaft in der globalen Herausforderung*, 267-295. Hrsg. H. Markl. Hirzel, Stuttgart. (Verhandlungen der Gesellschaft Deutscher Naturforscher und Ärzte, 118. Versammlung, Hamburg 1994).

Linsenmair, K.E. (1995). Tropische Biodiversität - vom ursächlichen Verständnis der strukturellen und funktionellen Komplexität noch weit entfernt. *Rundgespräche der Kommission für Ökologie. Bayrische Akademie Wissenschaften, Band 10, Bayrische Tropenforschung - Einst und jetzt*, 115-126.

Kobelt F., Linsenmair K.E. (1995). Adaptations of the reed frog *Hyperolius viridiflavus* (Amphibia, Anura, Hyperoliidae) to its arid environment. VII. The heat budget of *Hyperolius viridiflavus nitidulus* and the evolution of an optimized body shape. *J Comp Physiol B*, 165: 110-124.

Strohm E., Linsenmair K.E. (1995). Leaving the cradle: how beewolves obtain the necessary spatial information for emergence. *Zoology: Analysis of Complex Systems*, 98, 137-146

Röder G., Nanda I., Schmid M., Linsenmair K.E.. (1996). On sex determination in the Turkish desert woodlouse *Hemilepistus elongatus* (Crustacea, Isopoda, Oniscida): Searching for sex chromosomes and for sex-specific differences in simple DNA repeats. *Genome*, 39, 818-821.

Fiala B., Maschwitz, Linsenmair K.E. (1996) *Macaranga caladiifolia* Beccari (Euphorbiaceae), a new type of ant-plant among SE-Asian myrmecophytic *Macaranga* species. *Biotropica* 28: 408-412.

Götzke A., Linsenmair K.E. (1996) Does β -diversity allow reliable discrimination between deterministically and stochastically assembled communities? *Ecotropica* 2(1), 79-82.

König B, Linsenmair K.E.. (1996). Hrsg.und mit Einführungen versehen.

Biologische Vielfalt. Spektrum Akademischer Verlag. Heidelberg, Berlin, Oxford.

Maschwitz U., Fiala B., Davies S.J., Dumpert K., Linsenmair K.E. (1996)

Camponotus and Crematogaster as partners of one myrmecophyte: A new three-partner association in the genus *Macaranga* from Borneo. *Ecotropica* 2(1): 29-40.

Strohm E., Linsenmair K.E. (1996) How can newly emerged beewolves (*Philanthus triangulum* F.; Hymenoptera: Sphecidae) obtain the necessary spatial information for emergence? in: Pfannenstiel, H-D (ed.) Verhandlungen der Deutschen Zoologischen Gesellschaft 1996 in Oldenburg, Bd 89.1, S. 262, Fischer, Stuttgart

Stumpf H., Linsenmair K.E. (1996). Observations on the mating systems of two linyphiid spiders, *Linyphia hortensis* Sund. and *L. triangularis* (Cl.) (Linyphiidae: Araneae). *Revue suisse de Zoologie*, vol. hors. série: 627-634.

Böll S., Erben G.R., Linsenmair K.E. (1997). Wie zuverlässig ist die skeletochronologische Altersbestimmung bei der Geburtshelferkröte *Alytes obstetricans*? *Mertensiella* 7:315-327.

Floren A., Linsenmair K.E. (1997) Diversity and recolonisation dynamics of arthropod communities with special reference to the Formicidae-fauna on different tree species in a lowland rain forest in Sabah, Malaysia. In: Canopy arthropods. Stork N.E, Adis J. & Didham RK (eds), 344-381

Floren A, Linsenmair K.E. (1997) Diversity and recolonisation dynamics of canopy arthropod communities in a lowland rainforest in Sabah, Malaysia. Verhandlungsband, International Symposium on Biodiversity, Bonn 1994.

Heil M., Fiala B., Linsenmair K.E., Zotz G., Menke P., Maschwitz U.. (1997) Food body production in *Macaranga triloba*

(Euphorbiaceae): a plant investment in anti-herbivore defence via symbiotic ant partners. *Journal of Ecology* 85: 847-861.

Krell F.T., Schmitt T., Linsenmair K.E. (1997). Diplopod defensive secretions as attractants for necrophagous scarab beetles (Diplopoda.- Insecta: Coleoptera: Scarabeidae). *Entomologica Scandinavica Supplementum* 51: 281-285.

Linsenmair, K.E. (1997) Biodiversity and sustainable management of tropical forests. IN: Tropical forests. Natural resources and development Vol. 45/46. ed. Institute of Scientific Cooperation, Tübingen, 13-27.

Pfeiffer M., Linsenmair K.E., (1997) Reproductive synchronisation in the tropics: the circa-semiannual rhythm in the nuptial flight of the giant ant *Camponotus gigas* (Hym./Form.). *Ecotropica* 3, 21-32

Rödel M.O., Linsenmair K.E., (1997) Predator induced swarms in the tadpoles of an African savannah frog *Phrynomantis tismicrops*. *Ethology* 103, 902-914

Schmidt T., Linsenmair K.E. (1997) Längerfristige Auswirkungen von Kahlfraß durch den Schwammspinner

(*Lymantria dispar* L.). *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 11: 691-694.

Schmuck R., Linsenmair K.E. (1997) Regulation of water balance in reedfrogs

(superspecies *Hyperolius viridiflavus* and *Hyperolius marmoratus*: Amphibia, Anura, Hyperoliidae) living in unpredictably varying savannah environments. *Comparative Biochemistry and Physiology* 118A (4), 1335-1352.

Spieler M., Linsenmair K.E. (1997) Choice of optimal oviposition sites by *Hoplobatrachus occipitalis* (Anura: Ranidae) in an unpredictable and patchy environment. *Oecologia* 109, 184-199

Strohm E., Linsenmair K.E. (1997) Female size affects provisioning and sex allocation in a digger wasp. *Animal Behavior* 54, 23-34.

Strohm E., Linsenmair K.E. (1997) Low food availability causes extremely male biased investment ratio in the European beewolf *Philanthus triangulum* F. (Hymenoptera: Sphecidae). *Proceedings of The Royal Society London B* 264, 423-429.

Adis J., Basset Y., Floren A., Hammond P.M., K.E. Linsenmair (1998) Canopy fogging- recommendations for standardization. *Ecotropica* 4, 93-98.

Böll S., Linsenmair K.E. (1998) Size-dependent male reproductive success and size-assortative mating in the midwife toad *Alytes obstetricans*. *Amphibia-Reptilia* 69, 75-89.

Brühl CA, Linsenmair K.E., Gunik Gunsalam (1998) Stratification of ants (Hymenoptera, Formicidae) in a primary rainforest in Sabah, Borneo. *Journal of Tropical Ecology* 14, 285-297

Floren A., Linsenmair K.E., Alim Biun (1998) Structure and dynamics of arboreal arthropod communities. *Sabah Parks Nature Journal* 1, 69-82.

Floren A., Linsenmair K.E. (1998) Non equilibrium communities of Coleoptera on trees in a lowland rain forest of Borneo. *Ecotropica* 4, 55-68.

Heil M., Fiala B., Kaiser W., Linsenmair K.E. (1998) Chemical contents of *Macaranga* food bodies: Physiological adaptations to their role in ant attraction and nutrition. *Functional Ecology* 11, 117-122.

Korb J., Linsenmair K.E. (1998) The effects of temperature on the architecture and distribution of *Macrotermes bellicosus* (Isoptera: Macrotermitinae) mounds in different habitats of a West African Guinea savanna. *Insectes Sociaux* 45, 51-65.

Korb J., Linsenmair K.E. (1998) Experimental heating of *Macrotermes bellicosus* (Isoptera; Macrotermitinae) mounds: what role does microclimate play in influencing mound architecture? *Insectes Sociaux* 45, 335-342.

Linsenmair K.E. (1998) Risk-spreading and risk-reducing tactics of West African anurans in an unpredictably changing and stressful environment. In: DM Newbery, HHT Prins & ND Brown (eds). *Dynamics of tropical communities*. British Ecological Society Symposium Volume 37, 221-242.

Linsenmair K.E. (1998) Biodiversity research: general aspects and state of the art in Germany. In: E. Ehlers & T. Krafft, *German global change research 1998*. German National Committee on Global Change research, Bonn. 12-35.

Linsenmair K.E. (1998) Aspects of the focal theme. In: *Plant Research and Development Vol. 47/48, Focus: Forest Management and Sustainability*, 8-12. Institute for Scientific Co-operation, Tübingen.

Pfeiffer M., Linsenmair K.E. (1998) Polydomy and organization of foraging in *Camponotus gigas*. *Oecologia* 117, 579-590.

Röder G., Linsenmair K.E. (1998) On the heredity of two forms of albinism and

on the fitness of albinos in the Turkish desert woodlouse *Hemilepistus elongatus* Budde-Lund, 1885 (Isopoda, Oniscidea). *Crustaceana* 71, 57-72.

Spieler M., Linsenmair K.E. (1998) Migration and diurnal shelter in a ranid frog from a West African savannah: a telemetric study. *Amphibia-Reptilia* 69, 43-64

Strohm E., Linsenmair K.E. (1998) Temperature dependence of provisioning and investment allocation of females in the European beewolf *Philanthus triangulum* F. (Hymenoptera: Sphecidae). *Ecol. Entomol.* 23 (3), 330-339.

Warburg M.R., Rosenberg M., Linsenmair K.E. (1998) Hitherto undescribed ultrastructural features in the epidermis of two African amphibians. *Herpetological Journal* 8, 47-50

Eltz T., Whitten W.M., Roubik D.W., Linsenmair K.E. (1999) Fragrance collection, storage, and accumulation by individual male orchid bees. *J Chem Ecol* 25 (1), in press.

Heil M., Fiala B., Boller T., K.E. Linsenmair (1999) Reduced chitinase activities in ant plants of the genus *Macaranga*. *Naturwissenschaften* 86, 146-149

Kaminsky S.K., Linsenmair K.E., Grafe T.U. (1999) Reproductive timing, nest construction and tadpole guidance in the African pig-nosed frog, *Hemisus marmoratus*. *Journal of Herpetology* 33 (1), 118-123

Fiala B., Jakob A., Maschwitz U., Linsenmair K.E. (1999) Diversity, evolutionary specialisation and geographic distribution of a mutualistic ant-plant complex: *Macaranga* and *Crematogaster* in South East Asia. *Biol J Linn Soc* 66, 305-331.

Korb J., Linsenmair K.E. (1999) Reproductive success of *Macrotermes bellicosus* (Isoptera; Macrotermitinae) in two neighbouring habitats. *Oecologia* 118: 183-191

Brühl C., Maryati Mohamed, Linsenmair K.E. (in press) Altitudinal distribution of leaf litter ants along a transect in a primary forest at Mt. Kinabalu, Sabah, Malaysia. *Journal of Tropical Ecology*

Fischer F., Linsenmair K.E. (in press) The territorial system of the kob antelope (*Kobus kob kob*) in the Comoé National Park, Cote d'Ivoire. *African Journal of Ecology*

Floren A., Linsenmair K.E. (in press). Diversity and recolonisation of arboreal Formicidae and Coleoptera in a lowland rain forest in Sabah, Malaysia. Selbyana.

Horstmann K., Floren F., Linsenmair K.E. (in press) High species richness of Ichneumonidae from the canopy of a primary lowland rain forest in Sabah, Malaysia. *Ecotropica*

Hovestadt T., Yao P., Linsenmair K.E. (in press) Seed dispersal mechanisms and the vegetation of forest islands in a West African forest-savanna mosaic (Comoé National Park, Ivory Coast) *Plant Ecology*

Korb J., Linsenmair K.E. (in press) The architecture of termite mounds, a result of a trade-off between thermoregulation and gas exchange? *Behav Ecol*

Röder G., Linsenmair K.E. (in press) The mating system in the subsocial desert woodlouse; *Hemilepistus elongatus* (Isopoda, Oniscidea): model of an evolutionary step towards monogamy in the genus *Hemilepistus* sensu strictu? *Ethology, Ecology and Evolution*

Böll S., Linsenmair K.E. (eingereicht). Developmental plasticity in anuran tadpoles: non-adaptive constraints or adaptive flexibility. *Ecology*.

Floren A., Linsenmair K.E. (eingereicht) Do ant mosaics exist in pristine lowland rain forest? *Oecologia*

Floren A., Linsenmair K.E. (eingereicht) Colonization dynamics of the canopy in lowland rain forest. *Journal of Tropical Ecology*.

Floren A., Linsenmair K.E. (eingereicht) Changes in the structure of arboreal arthropod communities in forests of different disturbance levels. *Plant Ecology*. Special volume.

Götzke A., Linsenmair K.E. (eingereicht) Tropical arboreal ant communities: High values of beta-diversity are consistent with the assumption of randomly assembled communities. *Oikos*

Korb J., Linsenmair K.E. (eingereicht) Thermoregulation of termite mounds: What role does ambient temperature and metabolism of the colony play? *Phys Zool*

Korb J., Linsenmair K.E. (eingereicht) Interspecific competition between detritivores in a southern Guinea savanna (Comoe National Park, Ivory Coast) *J Trop Ecol*

Simon U., Linsenmair K.E. (eingereicht) Arthropods in tropical oaks: differences in their spatial distributions within tree crowns. *Plant Ecology*. Special volume.

Spieler M., Linsenmair K.E. (eingereicht) The mite *Hannemania* sp. (Acarina: Trombiculidae) as a frequent and species-specific parasite of a West African savannah-frog. *American Midland Naturalist*

Spieler M., Linsenmair K.E. (eingereicht) Aggregation behaviour of tadpoles of *Bufo maculatus* as an antipredator mechanism. *Ethology*

Strohm E., Linsenmair K.E. (eingereicht) The measurement of parental investment and sex allocation in the European beewolf *Philanthus triangulum* F. (Hymenoptera: Sphecidae). *Behavioral Ecology and Sociobiology*

Strohm E., Linsenmair K.E. (eingereicht) Allocation of parental investment between individual progeny in the European beewolf *Philanthus triangulum* F. (Hymenoptera, Sphecidae). *Evolutionary Ecology*

Schulze CH, Linsenmair KE, Fiedler K (eingereicht) Understorey versus canopy - patterns of vertical stratification and diversity among Lepidoptera in a Bornean rainforest. *Plant Ecology* . Special volume.